

ADD VALUE WITH NEW TECHNOLOGY

WIDEST RANGE OF
BAMBOO PROCESSING MACHINES
IN INDIA



PRASHANT BAMBOO MACHINES
ULTIMATE SOLUTION FOR BAMBOO WORKING MACHINES



ISO Certificate ISO 9001-2015



Sakal Excellence Award 2019 - Developing New Technology for Eco Friendly Product By Nitinji Gadkari Central Minister (Govt. of India)



Participation of World Bamboo Workshop, Manipur



To promote the Bamboo product. We are participated in Exhibition showing the wide range of Bamboo Product



Participating Exhibition in India Wood - Asia's Biggest Exhibition - to show the new range of Bamboo Machines



Since its establishment in 1989, Prashant Group has carved a niche for itself in the field of bamboo processing machines. We have grown exponentially and upscaled the business by consistently providing quality-tested machines with the use of state-of-the-art technology. The manufacturing of bamboo making machines is done under the supervision of skilled professionals giving it a top-notch industry approach.

We have also been into manufacturing machines for Bamboo Agarabatti Stick / Tooth Pick / Bamboo Plywood / Toys / Furniture / Straws / Bamboo Bottle / Bamboo Shoots / Pulverizer / Tooth Brush Handle / Kitchen Cutlery and many more. We also manufacture customized machines. We have a live demo centre. Where as we can see the performance of all machines. We aim to provide an extremely efficient ecosystem that inculcates a systematic process of manufacturing, designing and quality control. The staff minutely monitors each step of the process using the latest technology. The machines we offer undergo extreme conditions and possess attributes like excellent performance, sturdiness and require the least maintenance.

Our R & D team is working for new development in Indian Bamboo and working culture.

Our vision to provide latest technology in Bamboo sector.

BAMBOO PROCESSING MACHINES



Bamboo Cross Cutter Machine (To cut the bamboo in required length)

Model No. : **PBM-C-001**
 Production Capacity : 3000 Cut / 8 Hrs.
 Max. Cutting Capacity : 115 MM.
 Max. Cutter Dia. : 350 MM
 Electric Motor : 1 HP 1440 RPM



Bamboo Outside Knot / External Knot Removing Machine (To Remove outside bamboo Knot)

Model No. : **PBM-KR-001**
 Max. Cutter Dia. : 10"
 Tip Length : 12 MM x 50 MM
 Electric Motor : 1 HP 1440 Rpm
 Safety Guard : For Cutter & Motor



Bamboo Auto Splitter Machine (To Split bamboo by auto chain drive)

Model No. : **PBM-SR-002**
 Splitter Outer Dia. : 200 MM
 Division : 4 Nos. (4, 6, 8 & 12 Div.)
 Max. Splitting Length : 8 ft.
 Feed : Auto Chain Drive
 Electric Motor : 7.5 HP 3 PH 960 RPM



Bamboo Hand Splitter Machine (To split the bamboo by hand)

Model No. : **PBM-SR-001**
 Split Outer Dia. : 8"
 Division : 8
 Blade Fitting : Removable
 Blade : Sharpable
 Stand* : Extra Optional
 (Also available in 2-12 Divisions)



Bamboo Parallel Splitter Machine (To split the Bamboo by set of cutter)

Model No. : **PBM-SR-005**
 Max Thickness to Cut : 75 mm
 Max. Splitting Length : 4 ft.
 Cutter Dia. : 12" x 60 Tip
 Cutter Qty. : 2 No.
 Electric Motor : 3 HP
 Movement : Linear Bearing



Bamboo Hand Splitter with Horizontal Stand (To split the bamboo horizontally by manually)

Model No. : **PBM-SR-001 (B)**
 Max Length Splitting : Any Length
 Split Outer Dia. : 8"
 Division : 8
 Blade Fitting : Removable
 Blade : Sharpenable
 (Also available in 2-12 Division)



Bamboo Slicer Two Stroke Machine (To slice Bamboo in uniform thickness)

Model No. : **PBM-SC-001**
 Max. Width : 30 mm
 Minimum Thickness : 1.2 mm
 Electric Motor : 1 HP
 Machine Feeder : 2 Stroke



Bamboo Round Stick Making Machine (To make bamboo round sticks)

Model No. : **PBM-RD-001**
 Max Width of Slice : 28 mm.
 Min Length : 10"
 Stick Thickness : 1.2mm - 5.0 mm
 Cutter : 3 No. (78mm x 12 Tip)
 Electric Motor : (2+2+2+1) = 7 HP



Bamboo Slicer with Inside Knot Remover Machine (Inside knot removing & slicing)


Model No. : **PBM-SC-003**
 Width of Slice : 30 mm
 Minimum Thickness : 1.2 mm
 Machine Feeder : 4 Stroke
 Electric Motor : 2 HP 1440 RPM



Bamboo Thin Slicer Machine (To make Thin Slice)

Model No. : **PBM-SC-006**
 Max Width of Slice : 30 mm
 Minimum Thickness : 0.7 mm
 Electric Motor : 0.5 HP 1440 RPM

Bamboo Agarbatti Round Stick Making Machine Process Chart





Bamboo Stick Sizing Machine
(To cut the stick in required length)

Model No. : **PBM-SZ-001**
Max. Cutter Dia. : 350 MM.
Cutting Capacity : 105 MM.
Power Required : 1 H.P 1440 RPM
Teeth of Cutter : 160 TIP
Movement : Linear Bearing



Bamboo skin Removing with Inside Knot Removing with Sizing and Slicing Machine (4 in 1)

(To remove inside knot, sizing, slicing & planing)
Model No. : **PBM-SC-007**
Width of Slice : 30 mm
Min Thickness : 1.5mm
Skin Sizing Removing Cutter : 78 mm. x 12 Tip
Machine Feeder : 8 stroke
Electric Motor : 4 H.P. 1440RPM



Bamboo Stick Polisher (ECO)
(For Polishing the Bamboo Sticks)

Model No. : **PBM-PL-002**
Elec. Motor : 1 HP 1440 RPM
Division : 2 Part
Production : 100 Kg/ 8 Hour
Gear Box : 1 No.



Bamboo Inside Knot Remover with sizing & slicing Machine (3 in 1)

(Remove the inside knot & make sizing, slicing)

Model No. : **PBM-SC-005**
Max Width of Slice : 30mm
Max Sizing of slice : 30mm
Min Thickness : 1.5 mm
Machine Feeder : 6 Stroke
Electric Motor : 3 H.P 1440 R.P.M



Bamboo Stick Polisher Regular
(For Polishing Bamboo Stick)

Model No. : **PBM-PL-001**
Production Capacity : 150 Kg. / 8 hours
Division : 3 Parts
Power Required : 1 HP 1440 RPM
Gear Box : 1 No.



Bamboo Square Stick Machine
(To make square stick)

Model No. : **PBM-SQ-001**
Maximum width of slice : 30 mm.
Minimum Thick. : 1.3 mm.
Electric Motor : 1 H.P 1440 RPM
Cutter Dia : 100 mm



Bamboo Long Stick Polisher
(For Polishing the Long Sticks)

Model No. : **PBM-PL-003**
Production : 150 Kg./8 Hours.
Max. Length : 6 ft.
Power Required : 2 HP 1440 RPM
Gear Box : 1 No.



Bamboo Two Side Planer Machine
(Planing the Bamboo Strip Two Side)

Model No. : **PBM-TSP-001**
Maximum Width : 28mm
Minimum Thickness : 5 mm
Power Required : 5 HP
Cutter Size : Dia. 78 mm x 12 Tip



Multi Bamboo Cutter Grinder
(To Sharpen all type of Bamboo Cutter)

Model No. : **PBM-DR-002**
Max. Cutter Dia : 18"
Round Stick Cutter : Up to 35mm
Power Required : 1 HP
Cooling Arrangement : Available
Movement : Linear Bearing



Bamboo Four Side Planer Machine
(Planing the bamboo strip in four side)

Model No. : **PBM-FSP-001**
Maximum Width : 28 mm.
Minimum Thickness : 5 mm.
Width Adjustment : 15-28mm
Electric Motor : 7 H.P.
Cutter Dia. : 78 mm.x 12 Tip.



Bamboo Stick Bundelling Machine
(For making bundling of round sticks)

Model No. : **PBM-SPM-011**
Max. Dia. of Bundle : 6 "
Min. Dia. of Bundle : 2"
Power : Not Required
Operating : By Footpad



Bamboo Flattening Machine
(For Flattening the Bamboo)

Model No. : **PBM-SPM-012**
Max. Width : 80 mm.
Electric Motor : 5 H.P
Feeder : 4 Stroke

BAMBOO SPECIAL PURPOSE MACHINES



Bamboo Blind Weaving Machine

(To make Bamboo Blind by weaving Bamboo Sticks)

Model No. : **PBM-MW-001**
 Max Width Size : 6 ft
 Size Cutting : Upto 5 ft
 Electric Motor : 1 HP



Bamboo Toothpick Machine

(To Make Toothpicks Shaving / Pointing)

Model No. : **PBM-TM-001**
 Power Required : 2 HP
 Toothpick Length : 65mm
 Stick Thickness : 2 / 2.2 mm



Bobbin Winder Machine

(For Winding Threads on Bobbins)

Model No. : **PBM-SPM-014**
 Elec. Motor : 1 H.P
 Spindle . : 8 No.



Bamboo Skewer Machine

(For Pointing the Skewer)

Model No. : **PBM-SM-001**
 Production Capacity : 200 Kg. in 8 Hrs.
 Skewer length : 200 mm
 Electric Motor : 2 HP
 Stick Thickness : 3 to 4 mm.



Bamboo Blind Sewing Machine

(For Sewing the Bamboo Blind)

Model No. : **PBM-SPM-015**
 Electric Motor : 250 WATT
 Pressure Lift Height : Max. 13 mm



Bamboo Bending Machine

Model No : **PBM-SPM-22**
 Max. Dia. of Bamboo : 50 mm
 Power : 1 Kw
 Bend Roller : 3 Nos



Bamboo Pulverizer Machine

(For Pulverizer the Bamboo waste)

Model No. : **PBM-OM-001**
 Production Capacity : 50 Kg. per hrs
 Power Required : 10 HP
 Meshnet : 2 Nos.



Bamboo Spoon Grooving Making Machine

(To Make Bamboo Spoon Grooving)

Model No. : **PBM-SPM-018**
 Max. Length of Product : 10"
 Max Width of Product : 75mm
 Clamping: By Pneumatic
 Electric Motor : 5 HP
 Compressor : 50 lit



Bamboo Kulfi Stick Making Machine

(To make Bamboo Kulfi Machine)

Model No. : **PBM-KS-001**
 Electric Motor : 1HP
 Production Capacity : 300 Kg. in 8 Hrs.
 Maximum Thickness : 4 mm.
 Min. Length : 10"



Bamboo Toothbrush Handle Shaping Machine

(To Make Bamboo Tooth Brush Handle Profiles)

Model No. : **PBM-SPM-019**
 Max. Length of Product : 8"
 Max. Width of Job : 2"
 Electric Motor : 4 HP
 Clamping : Pneumatic
 Compressor : 30 Lit



Bamboo Broom (Jhadoo) Stick Making Machine

(To make Jhadoo Stick)

Model No. : **PBM-BS-001**
 Production Capacity : 300 Kg.
 Max.Thickness : 4.0 mm
 Electric Motor : 1 HP 1440 RPM
 Min. Length : 10"



Ringal Processing Machine

(Make thickness of Ringal)

Model No. : **PBM-OM-008**
 Min. Thickness : 0.7 mm
 Power : 0.5 HP
 Length : No Limit



Bamboo Cutter Machine
(To Cut The Bamboo)

Model No. : **PBM-FP-001**
Max. Circular Dia. : 300 MM
Table Size : 24" x 30"
Power Required : 2 HP
Tilting : 45 Degree



Bamboo Square Shaping Machine
(To Smoother The Surface Of Bamboo)

Model No. : **PBM-FT-007**
Max. Width : 225 mm
Power Required : 2 HP
Table Length : 1220 mm.
Cutter Block Speed : 4000 RPM



Bamboo Profile Cut Machine
(To Cut the Bamboo In Profile Design)

Model No. : **PBM-FT-002**
Max Cutting Capacity : 50 mm
Table Size : 14" x 12"
Power : 1 HP
Blade Length : 4" to 8"
Blade Thickness : 2 - 5 mm
Tilting : 45 Degree



Bamboo Profile Shaping Machine
(To Make Profile Shape On Bamboo)

Model No. : **PBM-FP-006**
Table Size : 24" x 24"
Movement of Spindle : 100 mm
(Up and Down)
Power Required : 2 HP 2800 RPM



Bamboo Sizing Machine
(To Make The Required Thickness
Size Of Bamboo)

Model No. : **PBM-FT-004**
Max. Width : 10"
Power Required : 2 HP 1440 RPM
Feeding : Auto Feed by 2 Roller



Bamboo Oscillating Sanding Machine
(To Sand The Bamboo By Oscillating Movement)

Model No. : **PBM-OS-001**
Power Required : 1HP 1440 RPM
Oscillation Per Min : 75
Stroke : 1 - 1/2 inch



Bamboo Sander Machine
(To Sanding & Polishing of Bamboo)

Model No. : **PBM-FT-005**
Disc Dia. : 250mm
Belt Size : 150x1220mm
Power Required : 1 HP 1440 RPM
Tilting : Upto 90 Degree



Bamboo Turning Machine
(To Turn The Bamboo In Required Round Shape)

Model No. : **PBM-FT-003**
Max. Dia. : 8"
Working Length : 3.5'
Turning Tools : Set of 5 pieces
Power Required : 1 HP 1440 RPM



Drill Machine with Slide Attachment
(For Drilling & Slide The Hole)

Model No. : **PBM-FT-012**
Drill Capacity : 25mm
Slide Capacity : 3" x 8"
Power Required : 1 HP 1440 RPM



Auto Profile Making Machine
(To Making Small Bamboo Toy & Gift Item)

Model No. : **PBM-FT-010**
Working Head : 3
Outer Dia. : 50mm
Power Required : 1HP 1440 RPM



Multi Bamboo Working Machine
(Multi Function for Bamboo Furniture)

Model No. : **PBM-FT-009**
Max. Planning Width : 10"
Feeding Speed : 24Ft. per min
Power Required : 2 HP 1440 RPM
Length of Surface table : 1140 mm
Cutter Block Speed : 4000 RPM



Bamboo Finger Joint Making Machine
(To Make The Finger In Bamboo Strip)

Model No. : **PBM-FT-013**
Max. Cutter Dia. : 150 mm
Power Required : 2 HP 2800 RPM
Slide Movement : Upto 6"



Bamboo Drum Sander Machine

Model No.	: PBM-FT-014
Maximum Sanding Width	: 12" inch
Sanding Drum Speed	: 1400 RPM
Sanding Drum Diameter	: 5" inch
Power Req.	: 2.5 H.P/1440 RPM



Bamboo Oscillation Mortiser Machine

Model No.	: PBM-FT-015
Mortise width-maximum	: 115 MM.
Mortise depth-maximum	: 90 mm
Table stroke	: 80 mm
Spindle speed	: 9500 rpm
Motor power	: 3 HP



Bamboo Tenoning Machine

Model No.	: PBM-FT-016
Table size	: 740 x 470 m
Table movement	: 32"
Max. width of work piece	: 8"
Tenoning cutter	: 2 Nos
Electric motor	: 3 HP / 2800 RPM



Cane Working Machine

Model No.	: PBM-009
Operating Range	: 15 to 35 mm. Dia.
Power Req.	: 2 H.P to 5 HP
Available M/c:	: Cane Straightening m/c Cane Turning M/c Cane Polishing M/c Cane Broaching M/c Cane Steaming M/c



Bamboo Chisel Mortiser-Pneumatic

Model No.	: PBM-FT-017
Max. Chisel Capacity	: up to 19 mm
Max. Depth of cut	: 3½"
Max. Height of workpiece	: 6"
Up/Down movement of table	: 3½"
Air pressure required	: 5 to 7 (kg / cm ²)
Elect. motor (HP / RPM)	: 1 HP / 2800 RPM



Bamboo Toys Making Machine

Model No.	: PBM-FT-024
Working Area	: 2 ft x 3 ft x 3 ft
Elect. Power	: 1 HP
Shank Dia	: 12 mm



Bamboo Round End Tenoner Machine

Model No.	: PBM-FT-018
Max Tenon Width	: 100 mm
Tennon Thickness	: 25 mm
Spindle Dia	: 30 mm
Total Power	: 2 HP



Bamboo Rod Rounding Machine (To Make Bamboo in Round Shape)

Model No.	: PBM-SPM-017
Min. Length	: 300 mm
Electric Motor	: 3 HP
Max Dia	: 60 mm
Max Length	: NO Limit



Bamboo Heavy Duty Sliding & Tilting Circular Saw

Model No.	: PBM-FT-020
Max. Circular saw dia.x Bore	: 14" x 1"
Max. depth of cut	: 4½"
Arbour tilt	: 45 Degree
Work table size	: 36" x 31"
Power required	: 3 HP



Small Bamboo Utility Machine

Model No.	: PBM-FT-011
Circular Dia.	: 10"
Sanding Disc. Dia.	: 10"
Electric Motor	: 0.5 HP 2800 RPM
(Multi utility - Cutting & Sanding)	



Bamboo Dust Collector (To Collect The Dust)

Model No.	: PBM-MF-008
Micron Rating of Fabric	: 30
Filter Bag	: 30 micron
Air Suction Capacity	: 2200 M ² / HR
Power	: 3 HP



Bamboo Horizontal - Vertical Sander

Model No.	: PBM-FT-023
Table Size	: 29.5" x 10"
Spindle	: 2800 RPM
Power Required	: 1.5 HP



Bamboo Panels Saw

(To Cut The Bamboo Board & Plywood As Required)

Model No. : **PBM-MF-001**
Cutter : 300mm & 120mm
Cutting Capacity : 8 ft
Tilting of Saw Table : 45 Degree
Power Required : 8.5 HP



Bamboo Multi Head Boring Machine

(For Multi Drilling Vertical And Horizontal at a Time)

Model No. : **PBM-MF-002**
Shank Dia : 10 mm
Total Drill : 42
Power Required : 4 HP
Head : 2



Bamboo Wide Belt Sanding Machine

(To Sand The Bamboo Board Accurate & Smooth)

Model No. : **PBM-MF-003**
Maximum Width : 1300 mm
Power : 30 HP
Feeding Speed : 6 - 19
Working Thickness : 2.5mm - 150 mm



Bamboo CNC Router Machine

(To make computerised Designing, Carving on Bamboo Board)

Model No. : **PBM-MF-004**
XYZ Working Area : 1300 x 2500 x 200 mm
Spindle Speed : 18000 RPM
Spindle type : Air cooled
Drive Motor : Servo



CNC Bamboo Bottle Making Machine

Model No. : **PBM-SPM-016**
Max. Working Length : 3.5 feet
Electric Motor : 3.5 HP
Ball Screw Z and X Axis : 40 X 5 & 25 X 5
Working Thickness : 2.5mm - 150 mm
Controller : PC Based Mach-3
CNC Controller
Turret : 4 Station



Bamboo High Speed Router Machine

(To Make Design On Bamboo Board As Per Required Profile)

Model No. : **BM-MF-006**
Spindle RPM : 8000 / 16000
Shank size : 12 mm
Spindle Actuation : Pneumatic
Power : 3 HP



Bamboo Hot Press

(To press Bamboo Board)

Model No. : **PBM-MF-009**
Load Pressure : 120 Ton
Table Size : 2500 x 1300 x 42 mm
No of Layer : One (380mm cap)
Hydraulic Cylinder : 6
Power : 23.2 HP



Bamboo CNC Sculptures Making Machine

Model No. : **PBM-FT-019**
XYZ Working Area : 800 x 500 x 500
Max Travelling Speed : 20 M/Min
Spindle : 4.5 kw Aircooled
Drive Motor : Servo Type



Laser Cutting Machine

(To make laser design on Bamboo product)

Model No. : **PBM-MF-007**
Working Area : 900mm x 600mm
Laser Power : 100 W
Cutting Speed : 0-30000 mm / min



Mini Laser Machine

(For Round Engraving Working)

Model No. : **PBM-SPM-021**
Power : 5 watt
Maximum Height of Work piece : 3"
Maximum Length of Work piece : 8"



Bamboo Carbonizing Machine

(For Carbonizing Bamboo Product)

Model No. : **PBM-DR-003**
Machine Size : 6 x 4 x 4 ft
Heater : 6 kw
Electrical Pannel : 1 Nos
Trolley : 1 Nos



Bamboo Hot Water Treatment Tank

(Treatment To Bamboo By
New Hot Water Technology)

Model No. : **PBM-TT-001**
Machine Size : 4 ft x 2 ft
Power : No Power Required
Fuel : Waste Bamboo
(Customized size is also available upto 20 ft.)



Bamboo Dryer Machine (Electrical)

(To Dry The Bamboo Pole)

Model No. : **PBM-DR-001**
Size : 6 x 4 x 4 Ft
Air Circulation : Motorised
Air Blower 2 H.P.
Door Locking : Silicon Gasket
Electric Heater : 6 KW
Electric Panel : 1 No.
(Also available to use Bamboo waste)



Vacuum Pressure Impregnation Treatment Plant

(To Treat The Bamboo Pole)

Model No. : **PBM-TT-002**
Length : 20 ft.
Pressure : 12 Kg/cm²
With Vacuum Pump : 3 HP
Pressure Pump : 2 HP
With Electrical Panel along with M.S. Tank
(Customized size is also available from 10ft. to 30ft.)



Bamboo Dryer with Bamboo Waste Fuel

(To Dry The Bamboo)

Model No. : **PBM-DR-002**
Size : 6 x 4 x 4 ft
Trolley : 1 No.
Max. Temperature : 300 Degree
Elect. Blower : 1HP
Fuel : Bamboo Waste



Bamboo Treatment Brochery Machine with compressor

(For Long Bamboo Treatment)

Model No. : **PBM-TT-004**
Machine Capacity : 3 Piece at a Time
Material : M.S
Tank Capacity : 30 Ltr.
Compressor : 30 Ltr.
Safety Valve : 1 No



Bamboo Palleting Machine

(To Make Palletting By Bamboo Dust)

Model No. : **PBM-OM-005**
Production Capacity : 500 Kg
Power Required : 20 HP
Die : 6 & 8 mm



Bamboo Biomass Making Machine

(To make Bamboo Biomass)

Model No. : **PBM-OM-007**
Production capacity : 300 Kg./8 hrs.
Power Required : 3 HP
Raw Material : Bamboo Dust/
Cow Dung



Bamboo Shoot Processing Machine

(Bamboo Shoot cleaning, Skin Removing,
Browning, Weighing & Vacuum Packaging)

Model No. : **PBM-OM-004**
Machine Set : Set of 5 Machine
Production Capacity : 100 Kg.
Power Required : Upto 7 HP



Charcoal Making Machine without Electric

Model No. : **PBM-OM-006**
Machine Size : 3x3 ft.
Height : 3 ft.
Power Required : No.
Production : 50 kg.



Dehumidifier Machine

Model No. : **PBM-OM-007**
Moisture Extraction Capacity : @30 Degree cent. & 80 % RH
Coverage Area : 800 SQ. Feet
Refreregerant Power : 1.75 KW



Dehydration Machine

Model No. : **PBM-OM-008**
No. of Trays : 12 No.
Power Required : 0.25 H.P
Material : Aluminium tray

BAMBOO AGARBATTI MACHINES



Agarbatti Making Machine Automatic (For coating masala on Bamboo Sticks Automatically)

Model No.	: PBM-MS-010
Elect. Motor	: 1 HP
Stick Quality	: Only Round
Production	: 50 to 60 kg.
Feeder	: Auto Feeding



Masala Powder Filter Machine (Channana Machine) (To Filter The Masala)

Model No.	: PBM-MS-001
Elect. Motor	: 0.5 HP
Size	: 14"
Capacity	: 20 kg



Agarbatti Masala Rolling Machine Manual (For Coating Masala in Bamboo Sticks manually)

Model No.	: PBM-MS-008
Stick Thickness	: Upto 1.4 mm
Stick Quality	: Round, Square
Production capacity	: 8 to 12 Kg.
Stick Length	: 8" to 16"



Masala Mixture Machine (To Mix The Masala For Incense Stick)

Model No.	: PBM-MS-012
Elect. Motor	: 1 HP
Capacity	: 25 kg.
m/c Speed	: 90RPM / minute



Dhoop Cone Making Machine

Model No.	: PBM-MS-013
Speed	: 60 cone/min.
Production	: 100 Kg per 8 Hrs
Diameter of Cone	: Customized
Height of Cone	: 35mm & 50mm
Motor	: 2 HP



Incense Stick Dryer Machine

Model No.	: PBM-MS-015
Production Capacity	: 150 kg. / 8 Hour
Drying Process	: Air Vacuum System
Motor	: 0.5 h.p (single phase)



Dhoop stick Making Machine

Model No.	: PBM-MS-014
Length of dhoop stick	: 2", 3" & 4"
Production Capacity	: 70000 / 8 Hour
Piston	: EN19
Motor	: 1.5 HP



Dipping Machine for Agarbatti

Model No.	: PBM-MS-016
Agarbatti Size	: 8"-12"
Production Capacity	: 150 kg. / Hour
Perfume Capacity	: 20 ltr
Bucket Material	: SS304
Motor	: 2 HP 1440 RPM

BAMBOO NON ELECTRICAL MACHINES



Bamboo Manual Slicer Machines (For Slicing Bamboo In Uniform Thickness By Hand)

Model No.	: PBM-MS-005
Thickness	: 1.5 mm
Length of Slice	: 225 mm
Width of Slice	: 25 mm
Power	: Not Required



Manual Bamboo Stick Machine (For Making Bamboo Square Stick)

Model No.	: PBM-MS-006
Thickness	: 1.2 mm to 1.4 mm
Width of Slice	: Upto 20 mm
Power Required	: Not Require



Bamboo Hand Splitter (Eco) (To Split The Bamboo)

Model No.	: PBM-MS-07
Division	: 6
Outer Dia.	: 125mm
Power Required	: No Required



Bamboo Sizer Machine (Make Size As Required Width)

Model No.	: PBM-MS-008
Max. Width	: 20 mm
Power Required	: No Required
Adjustable Width	: Yes



Bamboo Manual Long Slicer Machine (For Making Long Slice Manually)

Model No.	: PBM-MS-017
Min. Thickness	: 0.7mm
Slicer Blade	: D-2 Material
Max. Length	: No Limit



Bamboo Strip Bending Machine (Make Strip In Round Shape)

Model No.	: PBM-MS-018
Min. Round Dia Meter	: 3"
Max. Round Dia	: 8"



Bamboo Board Glue Spreader Machine

Model No. : **PBM-PW-001**
Working Length : 1250 mm
Max Feeding Height : 25 mm
Elect. Motor : 3 H.P.
Roller : Rubber Roller



Bamboo Board Glue Mixture Machine

Model No. : **PBM-PW-009**
Capacity : 150 Ltr
Power : 3 HP



Bamboo Board Belt Sander Machine

Model No. : **PBM-PW-003**
Belt Size : 150 mm x 7500 mm
Elect. Motor : 5 H.P.
Sanding Table : 2440 x 1220
Dust collecting outlet : 4"



Bamboo Board D.D Saw Machine

Model No. : **PBM-PW-002**
Max Cutting Size : 2440 x 1220 mm
Elect. Motor : 5 HP - 2 No
1 HP - 1 No
Circular Saw Dia : 16 " x 108 Tip
Cutter qty : 2 nos
Dust collecting outlet : 4"



Bamboo Board Particle Screening Machine

Model No. : **PBM-PW-010**
Running Track : Linear Vibrating Screen
Layer : 1
Mesh : 2 - 200 Mesh
Power : 3 HP



Bamboo Board Dipping Machine

Model No. : **PBM-PW-004**
Machine Roller : 12
Heater : 2
Power : 2+1.5+1 = 4.5 HP
Dipping : Top and Bottom



Bamboo Board Brush Sander Machine

Model No. : **PBM-PW-005**
Brush Roller : 4 Head
Sanding : Top and bottom at a time
Max Feeding Speed : 7 meter/minute
Power : 17.5 HP



Bamboo Board Thermic Fluid Heater

Model No. : **PBM-PW-006**
Voltage : 415V
Frequency : 50/60 Hz
Automation Grade : Automation
Power Source : Electric



Bamboo Board Press Machine

Model No. : **PBM-PW-007**
Max Working Area : 8 x 4 mm
Pressure : 600 Ton
Power : 30 HP



Bamboo Board Side Sanding Machine

Model No. : **PBM-PW-008**
Max Working width : 500-2500mm
Working Thickness : 4 to 50mm
Power : 15 HP



Bamboo Board Paddle Chopper Machine

Model No. : **PBM-PW-011**
Width : 54"
Weight : 150 Kg. Approx



Bamboo Board Hydraulic Scissor Lift Machine

Model No. : **PBM-PW-012**
Capacity : 200 to 1000 Kg.
Material : Mild Steel
Working Height : 10 Ft.
Operating Height : 10 - 20 Ft

PNEUMATIC TOOLS (AIR TOOLS)



Pneumatic Brad Nailer Machine



Pneumatic Stapler Machine



Pneumatic Coil Nailer Machine



Pneumatic Screw Driver Machine



Pneumatic Riveter



Pneumatic Die Grinder



Pneumatic Drill Machine



Pneumatic Sander Machine



Pneumatic Nut Insert Gun



Pneumatic Impact Wrench



Pneumatic Angle Grinder



Spray Gun



Compressor



Pneumatic Brad & Coil Nailer Pins



Pneumatic Accessories



Pneumatic Accessories

BAMBOO POWER TOOLS



Jig Saw Machine



Cutter Machine



Sander Machine



Hand Drill Machine



Router Machine



Mitre Saw Machine



Cordless Drill Machine



Air Blower Machine



Planner Machine



Die Grinder Machine



Petrol Chain Saw Machine



Heat Gun Machine



Orbital Sander Machine



Cut of Machine



Bamboo Micro Carving Machine

CUTTER & TOOLS



Bamboo Round Stick Cutter



Bamboo Half Round Stick Cutter



Special Saw for Bamboo Cutting



Out Side Knot Removing Cutter



Toothpicks Edge Removing Cutter



Bamboo Stick Round P.U. Roller



Planing Cutter



Special Thin Saw Cutter (14" x 160 tip) for sizing



Diamond Wheel for Cutter Sharpening



Furniture Profile Making Cutter



C.T. Slot Bit for Grooving & Drilling



Slicer Blade for Bamboo Slicer Machine



Bamboo Hinges Drill



Machine Spring



Bamboo Finger Joint Cutter



Flap Disk



Sanding Belt



Sanding Disc



Round Stick Roller



Toothpick Profile Making Diamond Wheel



Carbide Tip Feeder Plate



Jig Saw Blade



Square Stick Cutter

BAMBOO HAND TOOL KIT



- ▶ Bamboo Tool Kit for Jewellery Making
- ▶ Bamboo Tool Kit for Furniture
- ▶ Bamboo Tool Kit for Handicrafts
- ▶ Bamboo Tool Kit for Basketry
- ▶ Bamboo Power Tool Kit



Bamboo Turning Tool Set



Carving Tool Set



Moisture Meter

FIXTURES & HAND TOOLS



'C' clamp



'F' clamp



Corner Clamp



Channel Jig



Clamp Side Type



Drill Vice Clamp



Vertical Flange Base Clamp



Feeder Clamp



Holding Clamp



Mini Clamp



Mini Spring Clamp



Quick fix Clamp



Ratchet Clamp



'G' Clamp



Reversible Bar Clamp



Screw Clamp



'T' Bar Clamp



IDC Gauge



Vice



Bamboo Hexa



Kati



Carpentry Hacksaw



Docking Station Jig



Foreman Jig



Face Framing Table

WE MANUFACTURES MACHINES FOR



ROUND STICK



Bamboo Agarbatti



Round Stick For Agarbatti



Toothpics



Earbirds



Skewer



Kulfi Stick

OFFICE UTILITY



Mobile Speaker



Bamboo Pen



Diaries



Office Utility Product



Penstand



File

BOARD BLIND



Bamboo Plywood



Bamboo Flooring



Blind



Bamboo Mat



Bamboo House



Bamboo Particle Board

KITCHENWARE



Bamboo Spoon



Bamboo Bowl & Plates



Pickle Stand



Straw



Cup



Fork & Knife

WASTE UTILISE



Palleting



Brequetting



Bamboo Charcoal



Bamboo Dust Powder



Vinegar



Fencing

TOILETRY ITEMS



Soap Stand



Toothbrush



Bamboo Shaving Brush



Tongue Cleaner



Toothbrush Stand



Soap Dispenser

INTERIOR & FURNITURE



Bamboo Framing



Mandir



Bamboo Table



Bamboo Furniture



Chair



handicrafts & Basketry

JEWELLERY & GENERAL UTILITY



Bamboo Jewellery



Toys



Service Trolley



Bamboo Bottle



Bamboo Suitcase



Bamboo Tabla

USE BAMBOO SAVE ENVIRONMENT



PRASHANT BAMBOO MACHINES

Office : 12, Jamuna - 2, Dr. Ambedkar Square, Central Avenue, Nagpur - 440008.

PRASHANT BAMBOO MACHINES PVT. LTD.

Corporate Office : 14, Jeevandeep Society, Ambedkar Square, Central Avneue,
Nagpur - 440 008 (Maharashtra) India

Factory And Office:

Plot No. 15, Survey No. 38, Kapsi (Khurd), Behind Somalwar School,
Old Umiya Industrial Area, Bhandara Road, Nagpur - 440035.

Mobile : +91 74474 82513 / 87677 14462 / 98230 94850

Email : prashantbamboo@gmail.com | info@prashantbamboo.com
Website : www.prashantbamboo.com

Follow us on    

Note : We reserve the right to make changes in specifications & appearance

